

Channel Hookup Fairview

| Channel | Address | Instrument Type   | Purpose            | Color      | Position        | Unit | Gobo |
|---------|---------|-------------------|--------------------|------------|-----------------|------|------|
| 1       | 37      | Source 4 36deg    | front              | R4930+R119 | TGRID 6         | 1    |      |
| 2       | 32      | Source 4 36deg    | front              | R372+R132  | TGRID 6         | 2    |      |
| 3       | 26      | Source 4 36deg    | front              | R372+R132  | TGRID 6         | 3    |      |
| 4       | 22      | Source 4 36deg    | front              | R372+R132  | TGRID 6         | 4    |      |
| 5       | 25      | Source 4 36deg    | front              | R372+R132  | TGRID 6         | 5    |      |
| 6       | 62      | Source 4 36deg    | front              | R372+R132  | TGRID DIAG SR 1 | 1    |      |
| 7       | 58      | Source 4 36deg    | front              | R372+R132  | TGRID 5         | 1    |      |
| 8       | 57      | Source 4 36deg    | front              | R372+R132  | TGRID CENTER    | 6    |      |
| 9       | 50      | Source 4 36deg    | front              | R372+R132  | TGRID 5         | 3    |      |
| 10      | 54      | Source 4 26deg    | front              | R372+R132  | TGRID 5         | 2    |      |
|         | 39      | Source 4 36deg    | front              | R372+r132  | Tech Gallery SL | 3    |      |
| 11      | 96      | Source 4 36deg    | front              | R372+R132  | TGRID 4         | 2    |      |
| 12      | 92      | Source 4 36deg    | front              | R372+R132  | TGRID 4         | 3    |      |
| 13      | 93      | Source 4 36deg    | front              | R372+R132  | TGRID 4         | 4    |      |
| 14      | 90      | Source 4 36deg    | front              | R372+R132  | TGRID 4         | 5    |      |
| 15      | 89      | Source 4 36deg    | front              | R372+R132  | TGRID 4         | 7    |      |
| 16      | 128     | Source 4 36deg    | front              | R372+R132  | TGRID 3         | 11   |      |
| 17      | 133     | Source 4 36deg    | front              | R372+R132  | TGRID 3         | 6    |      |
| 18      | 86      | Source 4 36deg    | top of stairs      | R132+R372  | TGRID 4         | 6    |      |
| 21      | 2/136   | D40 45°           | Wall color wash    |            | TGRID 3         | 2    |      |
| 22      | 2/19    | D40 45°           | Wall color wash    |            | TGRID 3         | 7    |      |
| 23      | 2/145   | D40 45°           | Wall color wash    |            | TGRID SLC       | 2    |      |
| 24      | 2/28    | D40 45°           | Wall color wash    |            | TGRID CENTER    | 3    |      |
| 25      | 2/1     | LED TAPE          | red shelves        |            | SHELVES         |      |      |
| 26      | 2/3     | LED TAPE          | green shelves      |            | SHELVES         |      |      |
| 27      | 2/5     | LED TAPE          | blue shelves       |            | SHELVES         |      |      |
| 28      | 2/7     | LED TAPE          | warm white shelves |            | SHELVES         |      |      |
| 29      | 2/9     | LED TAPE          | cool white shelves |            | SHELVES         |      |      |
| 31      | 95      | dining chandelier | chandelier         |            | TGRID 3         |      |      |
| 32      | 259     | sconce            | sconce             |            | SR living room  |      |      |
| 33      | 256     | table lamp        | lamp               |            | UC table lamp   |      |      |
| 34      | 219     | little table lamp | lamp               |            | SR table lamp   |      |      |
| 35      | 255     | sconce            | sconce             |            | SL living room  |      |      |
| 36      | 218     | practical sconce  | upstairs hall      |            | upstairs hall   |      |      |
|         |         | practical sconce  | upstairs hall      |            |                 |      |      |
| 37      | 214     | practical sconce  | sconce             |            | entry way       |      |      |
| 38      | 205     | ceiling light     | overhead light     |            | ceiling         |      |      |
| 41      | 2/37    | LED ERS 36°       | HSR 2              |            | TGRID SRR       | 3    |      |
| 42      | 2/52    | LED ERS 50°       | HSR 3/4            |            | TGRID SRC       | 5    |      |
| 43      | 2/67    | LED ERS 50°       | HSR 10             |            | TGRID CENTER    | 4    |      |
| 44      | 2/82    | LED ERS 36°       | HSR 6/11           |            | TGRID SRR       | 2    |      |
| 45      | 2/97    | LED ERS 50°       | HSR 8/12           |            | TGRID SR        | 1    |      |
| 46      | 2/112   | LED ERS 50°       | HSR 9/14           |            | TGRID SRC       | 2    |      |
| 47      | 2/127   | LED ERS 50°       | HSR 13/17          |            | TGRID SRC       | 1    |      |
| 48      | 2/388   | LED ERS 50°       | HSR 18 top STAIRS  |            | TGRID SRC       | 3    |      |

|     |       |                       |                              |           |                        |    |      |
|-----|-------|-----------------------|------------------------------|-----------|------------------------|----|------|
| 49  | 174   | Source 4 36deg        | HSR 16                       | R372+R132 | TGRID 2                | 3  |      |
| 51  | 2/157 | LED ERS 50°           | HSL 2/7                      |           | TGRID SLC              | 5  |      |
| 52  | 3/166 | LED ERS 36°           | HSL 4                        |           | Tech Gallery SL        | 2  |      |
| 53  | 2/175 | LED ERS 50°           | HSL 6/11                     |           | TGRID 2                | 10 |      |
| 54  | 2/184 | LED ERS 50°           | HSL 8/12                     |           | TGRID SLC              | 3  |      |
| 55  | 2/193 | LED ERS 50°           | HSL 9/14                     |           | TGRID SL               | 1  |      |
| 56  | 2/202 | LED ERS 36°           | HSL 10/15                    |           | TGRID SLL              | 2  |      |
| 57  | 2/211 | LED ERS 50°           | HSL 16                       |           | TGRID SL               | 2  |      |
| 58  | 2/220 | LED ERS 50°           | HSL 18 top<br>STAIRS         |           | TGRID 1                | 9  |      |
| 59  | 165   | Source 4 36deg        | HSL 17                       | R372+R132 | TGRID SLC              | 1  |      |
| 61  | 2/229 | VL440 Mover           | DC mover                     |           | TGRID SRC              | 4  |      |
| 62  | 2/259 | VL440 Mover           | DC mover                     |           | TGRID SLC              | 4  |      |
| 63  | 3/190 | VL440 Mover           | DC mover                     |           | US PIPE 2              | 1  |      |
| 67  | 101   | Source 4 36deg        | Dining Room                  |           | TGRID 4                |    |      |
| 71  | 2/289 | D40 45°               | BACK 1                       |           | TGRID 2                | 1  |      |
| 72  | 2/298 | D40 45°               | BACK 2                       |           | TGRID 2                | 4  |      |
| 73  | 2/307 | D40 45°               | BACK 3                       |           | TGRID 2                | 6  |      |
| 74  | 2/316 | D40 45°               | BACK 4                       |           | TGRID 2                | 8  |      |
| 75  | 2/325 | D40 45°               | BACK 5                       |           | TGRID 2                | 14 |      |
| 76  | 2/334 | D40 45°               | BACK 6                       |           | TGRID 1                | 2  |      |
| 77  | 2/343 | D40 45°               | BACK 7                       |           | TGRID 1                | 3  |      |
| 78  | 2/352 | D40 45°               | BACK 8                       |           | TGRID 1                | 6  |      |
| 79  | 2/361 | D40 45°               | BACK 9                       |           | TGRID 1                | 8  |      |
| 80  | 2/370 | D40 45°               | BACK 10                      |           | TGRID 1                | 11 |      |
| 81  | 2/436 | D40 75°               | back couch                   |           | TGRID 2                | 9  |      |
| 82  | 2/409 | D40 75°               | back US entrance<br>platform |           | TGRID 1                | 10 |      |
| 83  | 2/445 | D40 75°               | back UL table<br>niche area  |           | TGRID 2                | 12 |      |
| 84  | 3/19  | D40 75°               | front door back              |           | US PIPE 1              | 1  |      |
| 85  | 3/28  | D40 75°               | entryway top                 |           | US PIPE C              | 1  |      |
| 86  | 2/418 | D40 75°               | back stairs                  |           | TGRID 1                | 5  |      |
| 87  | 2/427 | D40 75°               | upstairs turn                |           | US PIPE 1              | 2  |      |
| 88  | 3/55  | D40 75°               | upstairs hall top            |           | Proscenium Pipe        | 2  |      |
| 90  | 2/379 | D40 75°               | kitchen hall top             |           | TGRID 1                | 1  |      |
| 91  | 2/400 | D40 75°               | HSL entryway from<br>outside |           | Proscenium Pipe        | 3  |      |
| 92  | 203   | Source 4 50deg        | HSL from kitchen             |           | Proscenium Pipe        | 1  |      |
| 93  | 204   | Source 4 50deg        | glow from kitchen            |           | US PIPE 1              | 1  |      |
| 94  | 216   | Source 4 50deg        | HSL upstairs<br>platform     |           | US PIPE D              | 2  |      |
| 95  | 217   | Source 4 50deg        | exit stairs running<br>light |           | US PIPE D              | 1  |      |
| 97  | 3/358 | Radiance DMX<br>Hazer | haze upstage                 |           | US PIPE 1              | 4  |      |
| 99  |       | Followspot            |                              |           | TECH GALLERY<br>CENTER | 1  |      |
| 100 | 3/313 | Dowser                | projector                    |           | TECH GALLERY<br>CENTER |    |      |
| 140 | 169   | Source 4 36deg        | jazz club gobos<br>9/24      | R60       | TGRID 2                | 11 | R583 |

|     |     |                |                         |           |                 |    |        |
|-----|-----|----------------|-------------------------|-----------|-----------------|----|--------|
| 141 | 135 | Source 4 36deg | jazz club wall gobos    | R60       | TGRID 3         | 1  | R583   |
| 142 | 136 | Source 4 36deg | jazz club wall gobos    | R60       | TGRID 3         | 3  | R915   |
| 143 | 91  | Source 4 36deg | jazz club wall gobos    | R60       | TGRID CENTER    | 5  | R583   |
| 144 | 88  | Source 4 36deg | jazz club wall gobos    | R60       | TGRID 3         | 8  | R583   |
| 145 | 127 | Source 4 36deg | jazz club wall gobos    | R60       | TGRID 3         | 10 | R583   |
| 146 | 175 | Source 4 36deg | jazz club gobos 11/6    | R60       | TGRID 2         | 2  | R583   |
| 147 | 166 | Source 4 36deg | jazz club gobos 4       | R60       | TGRID 2         | 13 | R583   |
| 148 | 177 | Source 4 36deg | jazz club gobo 18       | R60       | TGRID 1         | 4  | R79650 |
| 149 | 190 | Source 4 36deg | jazz club gobo 18       | R60       | TGRID 1         | 7  | R79650 |
| 150 | 98  | Source 4 26deg | hip hop gobo wall SR    | R07       | TGRID 4         | 1  | G391   |
| 151 | 132 | Source 4 36deg | hip hop gobo wall C     | R07       | TGRID 3         | 4  | G391   |
| 152 | 134 | Source 4 36deg | hip hop gobo wall SL    | R07       | TGRID 3         | 5  | G391   |
| 171 | 171 | Source 4 36deg | HL Aisle HS             | R372+R132 | TGRID 2         | 5  |        |
| 172 | 186 | Source 4 36deg | HL Aisle Top            | R372+R132 | TGRID SRR       | 1  |        |
| 173 | 150 | Source 4 50deg | HL Aisle Back           | R372+R132 | Tech Gallery SR | 1  |        |
| 174 | 170 | Source 4 36deg | HLC Aisle Front         | R372+R132 | TGRID CENTER    | 1  |        |
| 175 | 63  | Source 4 36deg | HLC Aisle Top           | R372+R132 | TGRID DIAG SR 1 | 2  |        |
| 176 | 71  | Source 4 50deg | HLC Aisle Back          | R372+R132 | BoothHandrail   | 1  |        |
| 177 | 131 | Source 4 36deg | HRC Aisle Front         | R372+R132 | TGRID CENTER    | 2  |        |
| 178 | 49  | Source 4 36deg | HRC Aisle Top           | R372+R132 | TGRID DIAG SL 1 | 1  |        |
| 179 | 40  | Source 4 36deg | HRC Aisle Back          | R372+R132 | Tech Gallery SL | 4  |        |
| 181 | 172 | Source 4 36deg | HR Aisle HS             | R372+R132 | TGRID 2         | 7  |        |
| 182 | 154 | Source 4 36deg | HR Aisle Top            | R372+R132 | TGRID SLL       | 1  |        |
| 183 | 112 | Source 4 50deg | HR Aisle Back           | R372+R132 | Tech Gallery SL | 1  |        |
| 201 | 145 | Source 4 36deg | stone facade day        | R364      | TGRID SR        | 2  |        |
| 202 | 119 | Source 4 36deg | stone facade day        | R364      | TGRID SL        | 3  |        |
| 203 | 142 | Source 4 36deg | stone facade night      | R68       | TGRID SR        | 3  |        |
| 204 | 126 | Source 4 36deg | stone facade night      | R68       | TGRID 3         | 9  |        |
| 320 |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE i       | 2  |        |
|     |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE K       | 1  |        |
|     |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE 2       | 2  |        |
|     |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE K       | 2  |        |
|     |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE 4       | 2  |        |
|     |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE 3       | 3  |        |
|     |     | CLIP light     | RUNNING LIGHT           | blue      | US PIPE i       | 1  |        |
| 321 |     | CLIP light     | RUNNING LIGHT pipe pull | blue      | US PIPE 1       | 7  |        |
| 323 |     | CLIP light     | RUNNING LIGHT SL RAMP   | blue      | US PIPE 3       | 2  |        |
|     |     | CLIP light     | RUNNING LIGHT SL RAMP   | blue      | US PIPE 4       | 1  |        |
|     |     | CLIP light     | RUNNING LIGHT SL RAMP   | blue      | US PIPE 3       | 1  |        |
| 325 | 226 | Source 4       | Running Light           | blue      |                 |    |        |

|  |     |          |               |      |  |  |  |
|--|-----|----------|---------------|------|--|--|--|
|  | 227 | Source 4 | Running Light | blue |  |  |  |
|  | 229 | Source 4 | Running Light | blue |  |  |  |
|  | 231 | Source 4 | Running Light | blue |  |  |  |
|  | 232 | Source 4 | Running Light | blue |  |  |  |
|  | 233 | Source 4 | Running Light | blue |  |  |  |
|  | 234 | Source 4 | Running Light | blue |  |  |  |